

NetAnalyzer

Documentation

In-depth explanation of the program and its functions

Version 4

Carleton University

Summer 2015

Table of Contents

Specific Section Information	5
---	----------

General.....	5
Title Screen	5
Main	6
Location Generator	6
<i>General</i>	6
<i>NS2</i>	6
<i>OPNET</i>	6
<i>CORE</i>	6
Dynamic Statistics	7
Static Statistics	7
Statistics Summary.....	7
Spreadsheet Creator	7
Full Statistical Run Through	8
Animations and Graphs.....	8
GraphViz.....	8
golInput.....	9
Steps Taken Between Version 1 & 2.....	9
Steps Taken Between Version 2 & 3.....	9
Steps Taken Between Version 3 & 4.....	9
Location Generator Output File Format	10
Statistic Output File Formats	10
Individual Dynamic Scenarios	10
<i>Average Neighbours</i>	10
<i>Average Path Length</i>	10
<i>Components</i>	10
<i>Diameter</i>	10
<i>Most Neighbours</i>	10
<i>Node Centrality</i>	10
<i>Links</i>	10
<i>Coverage</i>	11
<i>Neighbourhood Instability</i>	11
<i>Clustering Coefficient</i>	11
<i>Degree of Randomness/Predictability</i>	11

<i>Run Time</i>	11
Individual Static Scenarios	11
<i>Average Neighbours</i>	11
<i>Average Path Length</i>	11
<i>Components</i>	11
<i>Diameter</i>	11
<i>Most Neighbours</i>	11
<i>Node Centrality</i>	11
Summary of Dynamic Scenarios.....	12
<i>Average Neighbours Summary</i>	12
<i>Average Path Length Summary</i>	12
<i>Components Summary</i>	12
<i>Diameter Summary</i>	12
<i>Files</i>	12
<i>Links Summary</i>	12
<i>Coverage Summary</i>	12
<i>Average Instability Summary</i>	12
<i>Average Clustering Summary</i>	12
<i>Predictability Summary</i>	12
<i>Run Time</i>	12
Summary of Static Scenarios.....	13
<i>Average Neighbours Summary</i>	13
<i>Average Path Length Summary</i>	13
<i>Components Summary</i>	13
<i>Diameter Summary</i>	13
<i>Files</i>	13
Next Steps / Future Improvements	13
Improve GUI	13
Linux Support	13
The Number of Shortest Routes Changed Every Time Interval	13
MATLAB Visualization	13
Animation Control.....	14
General Code Clean-up	14
Static Statistics	14

Location Generator	14
Dynamic Statistics	14
Spreadsheet Creator	14
Open Source Adaptation.....	14
3D Compatibility	14
Useful Links	15

Specific Section Information

General


- Assumes that user defined sequence is only used is specified file names and not in any folder along the path.

ex. C:\50 test\Scenario50-1.txt (If user chooses to look for matching sequence of '50' program will crash as 50 is found in folder name)

Title Screen

The screen contains the following tabs:

1. Location Generator
2. Dynamic Statistics
3. Static Statistics
4. Statistics Summary
5. Spreadsheet Creation
6. MATLAB Visualization



- The user is required to choose an option. The decision is implicit when selecting a tab.
- Each tab contains a "Go" button that will write the parameters to a plaintext file and then launch the Net Analyzer with the plaintext file name as the command line parameter.
- If parameters are missing, then the GUI will give an error dialog instead.
- Note: the file the GUI generates will appear to be a single string of text in Notepad. There are carriage return characters, they simply do not register in Notepad for some reason (the Net Analyzer program will read the file correctly).

Main

- Reads input from a plaintext file
- File name is taken as a command line parameter
- If more than one parameter is entered (or if no parameter is given) then the program will ask for the name of the plaintext file

Location Generator

General

- User is required to enter desired transmission range and refresh rate to be used in the statistical analysis. The GUI gathers the information using spinboxes, with minimum values of 1 (integers only).
- Default transmission range: 250.
- When using multi-file option, the function used (**FindNextFile**) does not search in any set order, the order it searches for files is system dependent.
- This stage of program ignores z-coordinate positions
- On second line of file, last number is 0 for normal mode and 1 for troubleshoot mode. Only used in matlab section but seems to be useless and causes program crash

NS2

- Looks for .txt files
- Generation can take over 30 minutes for scenarios that have one or more node with really small event times (less than 0.00001)

OPNET

- Looks for .xml files
- Generation can take long time if too many destination changes (more than 10,000)
- Assume that folder containing trajectory files has exact same name as setup file (not including extension)
- Assumes that trajectory files have the node number specified at the end of the file name in the format: '*filename.#.trj*'.
- Determines the number of nodes from setup file (.xml) by looking for node names that are only numbers ex. `<node name="1" model=...`
- User is required to specify the x and y axis values as that information isn't contained within the scenario files.
- When using multiple files, make a copy of the setup (.xml) file for each folder containing trajectory files, and rename them to match.
- In scenarios tested, the input values are: transmission range = 1000, refresh = 1, runtime = 2000, x=2000 and y=4000

CORE

- Looks for .imn files
- Assume both scenario and setup file have same name with different extensions
- Skips over static nodes (defined by model 'router')

- Find the amount of nodes by looking for specific model (*mdr*) after finding the proper type (*router*)

```
ex.      node n1 {
          type router
          model mdr
```

Dynamic Statistics

- If run time is too large program will crash as it initializes arrays using that number
 - ex. `int* location_time = new int[run_time_int*num_nodes*2];`
(Known crash when trying to run program for 70 node scenario with run time over 500,000)
- User can choose to create graphViz visualization for scenario within the run time for any multiple of the refresh rate.
- Discounts all links created at time 0 when calculating total and average values
- Viewed some occurrences (very few) where code showing '*% complete*' doesn't work or is not exact (ex. **499/1000 50% complete**)
- Link changed statistics doesn't match numbers from scenario files (NS2); this could be caused by location generation only being per second and not smaller. Because the program only generates locations of the nodes every second, links can be broken and created within a second's time. These changes would go unnoticed by the program.

Static Statistics

- Could be possible to get rid of StaticStatistics function and just integrate this section into the location generator
- Opnet and Core scenarios only tested for single file. Further testing should be done (including multi-file testing)

Statistics Summary

- Assumes that individual statistics have been created for select scenarios already and output files and folder are in same directory as scenario files
- Assumes all files within given folder with proper extension and matching sequence are scenarios with output folder already generated. The program will not look if, for example, '.txt' files (NS2) within folder are scenarios and not just random text files. The program will run on all text files within the folder
- Summary files are held within folder with following format: '**sequence*.summary*' (**...** stands for user specified data)
- Run time must be less than the total run time of each individual scenario. Don't forget to take into account the refresh rate.
- For links summary, total amount of added and broken links at end of file seem to be too large by a factor of ten. This should be reviewed to see if this is actually the case and to fix it.

Spreadsheet Creator

- At current stage of program only functions for NS2 type scenarios with scenario file name of 'Scenario#-#.txt' format. Also only works for folders containing scenarios with 10-20...-100 (multiples of 10) nodes with a max of 25 scenarios for each node set. Only works with this

format because it uses the number within the file name to keep track of the data's position in the tables.

- Note that max number of scenarios must be changed within code (controlled by variable: `max_scenario`)
- For Dynamic: Creates 3 spreadsheets within file; the first is a summary of links, the second is the statistics at time 1, and the last is the statistics at the run time.
- For Static: Creates single spreadsheet showing all statistics
- Statistic Summary must be run for the files BEFORE creating a spreadsheet, the Spreadsheet Creator relies of the *'files.txt'* output from the summary to locate the included files.
- The sequence used to match for files must be the exact same sequence used to create the summary files
- Spreadsheet is created within summary folder. Name of file is: *'*sequence*.spreadsheet.xml'* (*...* stands for user specified data)

Full Statistical Run Through

- Only for dynamic scenarios
- Automatically creates graphViz visualizations at end of run time
- If user chooses single file option and that file is not contained within the program directory then the Dynamic Statistics portion of the program won't work as it uses doesn't account for the file path when the user inputs the file location (assumes file is in same directory as program)

Animations and Graphs

- Assumes all files are within their own scenarios given output folder with format:

'Filename output\'

- When animation is running, keeps animation figure in front of screen so animation doesn't plot onto other figures. User must pause the animation in order to view other figures.
- Program creates array using the run time and the amount of nodes:

```
location = zeros(num_nodes*run_time, 4);
```

If run time is too large, it may cause program to crash as too much memory is used up. Warning shows if number exceeds 1 million.

- Valid animation controls become visible/invisible depending on if they can be used or not.
- Animation resets to 0 if run time is hit. User can view the scenario at the run time if the animation is paused and by dragging the slide bar all the way to the right.

GraphViz

- GraphViz visualizations are named in following format: *'graphViz_#.dot'* where the # is the time at which the visualization was created (if run for static scenario, '#' gets replaced with word 'static')

goInput

- Function of the GUI
- Runs when the user clicks “Go”
- Collects all the input of the user and compiles it into a plaintext file with default name in.put.
- In.put is then passed as a command line parameter to NetAnalyzer.exe, which will then read it to obtain parameters for statistics calculations.

Steps Taken Between Version 1 & 2

See '*Future Version - Fixes*' file for explanation on the improvements/fixes that Jordan suggested be done to program.

- Made all sections of program accessible from one file
- Made program compatible with all file types
- Added ability to do multiple files from single folder at once
- Organized outputted files into single folder
- Created section to take summary statistics from batch of files in single folder
- Created section to take batch of NS2 scenarios and output statistics in table format that can be read in Excel
- Added ability to do both dynamic and static network scenarios
- Added simple text based menu system
- Added simple controls for MATLAB animation

Steps Taken Between Version 2 & 3

- Added multiple new outputs to the Dynamic Statistics section (coverage, surface graph, neighbourhood instability, average instability, clustering coefficient, average clustering, and predictability)
- Clarified instructions on how to handle OPNET scenarios
- Added additional outputs to the dynamic statistics summary (coverage summary, instability summary, clustering summary, and predictability summary)
- Fixed minor bugs in the MATLAB program and added the ability to graph additional outputs (coverage, instability and clustering)
- General code cleanup, removing old debugging code and adding comments for clarity

Steps Taken Between Version 3 & 4

- Created a GUI using Qt
- Changed parsing of NS2 files (now supports Bonn Motion)
- Changed main to read in parameters from a text file instead of prompting the user to enter them manually

Location Generator Output File Format

First line is the name of the scenario file that the output file was generated from. Second line gives basic scenario information (from left to right); first number is number of nodes, second number is refresh rate, third is the transmission range, fourth and fifth are the x and y axis and the last is 0 for normal mode and 1 for troubleshoot mode. After this is each nodes locations per second until they become static. The format for each line is (from left to right); First number is the given node, second is the time, third is x position, the final is the y position. Notes that node has reached its destination by line: "Node # has reached its destination.". At the end of the file, after '#', the final number is the total time the scenario needs to become static.

Statistic Output File Formats

(Numbers as being read from left to right)

Individual Dynamic Scenarios

For each different statistics file the first number in each given line is always the time, from 0 to the given run time. Explanation of all statistics can be found in user manual under *Statistics Calculated* section.

Average Neighbours

Number after time is average neighbours number.

Average Path Length

Number right after time is average path length in hops, then beside that is average path length in meters.

Components

Number right after time is the number of components in scenario at given time.

Diameter

Number after time is diameter in hops, then beside that is the diameter in meters.

Most Neighbours

The numbers following the time are the nodes that share the most node neighbours at given time.

Number within circle brackets is the number of neighbours each of these nodes have.

Node Centrality

The numbers following the time are all the nodes sharing the most node centrality.

Links

Number beside time is amount of links created at given time, number beside that is number of links lost.

Total added links number at end is the total amount of added links from time 1 to run time. Same for Total broken links. Average links added per second number is the average amount of links added from time 1 to run time. Same for average links broken per second. Link changes number represents the total number of times a link was created or broken for each node from time 1 to run time. Following that is each nodes individual link change number.

Coverage

The number following the time is the current percent coverage of the defined area. It approximates how much of the area has had a node pass through, based on dividing the area into a 100-by-100 grid and keeping track of the cells. At the very bottom it outputs an array of the values of each cell (how much time it has been occupied). A separate output, called `surface_graph`, provides an alternate format of it that can be copied into MATLAB to visualize the node distribution over time.

Neighbourhood Instability

The program outputs the instability of each node (number of link changes divided by the number of neighbours) over a ten-second period, which is indicated by the first two numbers in each row. The average of all nodes over the run time is listed at the bottom. There is a separate output (`average_instability`) which gives the average of all nodes at each point in time.

Clustering Coefficient

The numbers following the time are the clustering coefficients of each node (ratio of radio links among neighbours and the number of neighbours) going from first to last. The average of all nodes over the run time is listed at the bottom. There is a separate output (`average_clustering`) which gives the average of all nodes at each point in time.

Degree of Randomness/Predictability

The output is a single value indicating the approximate predictability of the movement of the nodes.

Run Time

Run time for statistics that user specified.

Individual Static Scenarios

Explanation of all statistics can be found in user manual under *Statistics Calculated* section.

Average Neighbours

Average neighbours number.

Average Path Length

First is the average path length in hops, then beside that is average path length in meters.

Components

The number of components in the scenario.

Diameter

First is the diameter in hops, then beside that is the diameter in meters.

Most Neighbours

The numbers are the nodes that share the most node neighbours. Number within circle brackets is the number of neighbours each of these nodes have.

Node Centrality

The numbers are all the nodes sharing the most node centrality.

Summary of Dynamic Scenarios

For each different statistics file the first number in each given line is always the time, from 0 to the given run time. Explanation of all statistics can be found in user manual under *Statistics Calculated* section. All number are simply averaged by added each number from every included file then dividing by the amount of files used. The average number at the bottom of each file is calculated by adding all the numbers for the given run time then dividing by the run time.

Average Neighbours Summary

Number after time is average neighbours number.

Average Path Length Summary

Number right after time is average path length in hops, then beside that is average path length in meters.

Components Summary

Number right after time is the average number of components in the scenarios at given time.

Diameter Summary

Number after time is average diameter in hops, then beside that is the average diameter in meters.

Files

List of all scenarios used to create summary files.

Links Summary

Number beside time is amount of average links created at given time, number beside that is average number of links lost. Total added links number at end is the total amount of added links from time 1 to run time for all scenarios. Same for Total broken links. Average links added per second number is the average amount of links added from time 1 to run time. Same for average links broken per second.

Coverage Summary

Number beside time is the average percent coverage of the scenarios at the given time.

Average Instability Summary

The output lists a time range of 10 seconds, followed by the average neighbourhood instability of the scenarios at the given time.

Average Clustering Summary

Number beside time is the average network clustering of the scenarios at the given time.

Predictability Summary

Number given is the average degree of randomness/predictability over the entire run time.

Run Time

Run time for statistics that user specified.

Summary of Static Scenarios

Explanation of all statistics can be found in user manual under *Statistics Calculated* section. All number are simply averaged by added each number from every included file then dividing by the amount of files used.

Average Neighbours Summary

Average neighbours number.

Average Path Length Summary

First is the average path length in hops, then beside that is average path length in meters.

Components Summary

Average components in all the scenarios.

Diameter Summary

First is the average diameter in hops, then beside that is the average diameter in meters.

Files

List of all scenarios used to create summary files.

Next Steps / Future Improvements

Improve GUI

- Adding an icon for the executable and increasing aesthetic quality
- Currently, the GUI needs to either be run from Qt Creator or requires some .dll files to be copied from the Qt installation. The next step will be to build a singular executable that can be deployed separately from Qt. Information on this is available here: <http://doc.qt.io/qt-5.4/deployment.html>. This applies to both the Windows and Linux versions.
- Better communication of crashes/errors in NetAnalyzer.exe

Linux Support

- To do this, the source code of the application must be pasted into a Linux C++ environment (GCC for example)
- Animation_graphs.m should work on the Linux version of MATLAB with no issues (although not tested)
- The GUI will need to be recompiled for Linux

The Number of Shortest Routes Changed Every Time Interval

- Add the ability to calculate how many shortest paths change every time interval
- Perhaps do this by storing the shortest path for each node in an array of length num_nodes
- This would store the path from 1 to 2, 1 to 3, etc.
- Add one to a counter every time one of these values changes

MATLAB Visualization

- Have the GUI automatically execute the animations_graphs function

Animation Control

- Further work on animation controls
- Could generate more user friendly GUI for program using Matlabs GUIDE tool
- Add ability to create graphs from the summary files. Should be simple as the only difference is no animation.

General Code Clean-up

Look through all the code in the program and tidy it up, make the program run faster and more efficiently. Some specific things that can be done are:

- Organize sections of re-used code into functions
- Re-name variables for increased clarity
- Get rid of un-used/needed variables
- Make sure all dynamically allocated variables are freed before exiting functions
- Create error checking at every step of program to prevent crashes

Static Statistics

- Further test static Core scenarios (only tested for 1 scenario)

Location Generator

- Create ability to generate node locations at less than 1 second intervals for more accuracy, also add ability to generate locations only up to certain point and not until static to speed up process.

Dynamic Statistics

- The “degree of randomness/predictability” code is not the most efficient, and tends to cause stack overflow issues if the 4-dimensional predictability array is too large. A more efficient implementation may fix these issues.

Spreadsheet Creator

- Have the spreadsheet creator work with NS2 files that are not named ScenarioX-Y.txt

Open Source Adaptation

- Add the program to Source Forge. Will be useful when GUI is programmed and MATLAB integration is complete.

3D Compatibility

- Allow the program to handle 3D node movement. This will require massive changes to the program, and is not to be taken lightly.

Useful Links

The following are links I've found useful to help create the program.

<http://www.cplusplus.com/>

<http://www.cplusplus.com/reference/regex/>

http://blogs.msdn.com/b/brian_jones/archive/2005/06/27/433152.aspx

<http://home.fnal.gov/~stoughto/build/graphviz-2.22.2/windows/cmd/gvedit/GVedit.html>

<http://pdcurses.sourceforge.net/> (may be used to implement arrow key menu control)

http://www.mathworks.com/help/matlab/creating_guis/writing-code-for-callbacks.html

http://www.mathworks.com/help/matlab/ref/uicontrol_props.html - bqxoipv

<http://www.mathworks.com/videos/creating-a-gui-with-guide-68979.html>

<http://www.mathworks.com/discovery/gallery.html>

<http://doc.qt.io/>

<http://www.site.uottawa.ca/~lucia/courses/2131-05/labs/Lab3/CommandLineArguments.html>